

	L #	Hits	Search Text	DBs
1	L1	1767	(html or xml or sgml) NEAR10 (portable or laptop or PDA)	US-PGPUB; USPAT
2	L2	41529	application NEAR2 interface	US-PGPUB; USPAT
3	L3	910	1 and 2	US-PGPUB; USPAT
4	L4	1	1 NEAR10 2	US-PGPUB; USPAT
5	L5	212402	platform	US-PGPUB; USPAT
6	L6	20601	(different or various or many or multiple) NEAR5 platform	US-PGPUB; USPAT
7	L7	25	6 SAME 1	US-PGPUB; USPAT
8	L8	482	6 SAME 2	US-PGPUB; USPAT
9	L9	575	6 and 3	US-PGPUB; USPAT
10	L10	109441	(build\$4 or creat\$4 or design\$6) NEAR10 (site or page)	US-PGPUB; USPAT
11	L11	47	10 SAME 1	US-PGPUB; USPAT
12	L12	419	10 SAME 2	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
13	L13	110	10 SAME 6	US-PGPUB; USPAT
14	L14	2	10 SAME 8	US-PGPUB; USPAT
15	L15	52414	(external or remote) NEAR3 (client or user or consumer)	US-PGPUB; USPAT
16	L16	28068	(host or server) NEAR1 application	US-PGPUB; USPAT
17	L17	1336	15 SAME 16	US-PGPUB; USPAT
18	L18	50	17 and 1	US-PGPUB; USPAT
19	L19	697	17 and 2	US-PGPUB; USPAT
20	L20	98	17 SAME 2	US-PGPUB; USPAT
21	L21	224	17 and 6	US-PGPUB; USPAT
22	L22	389	17 and 10	US-PGPUB; USPAT
23	L23	108	21 and 10	US-PGPUB; USPAT
24	L24	39	17 and 9	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
25	L25	38	17 and 12	US-PGPUB; USPAT
26	L26	570	15 NEAR10 16	US-PGPUB; USPAT
27	L27	0	26 SAME 1	US-PGPUB; USPAT
28	L28	44	26 SAME 2	US-PGPUB; USPAT
29	L29	1	26 SAME 6	US-PGPUB; USPAT
30	L30	7513	(convert or conversion or translat) NEAR10 (compatible or consistent)	US-PGPUB; USPAT
31	L31	401	16 and 30	US-PGPUB; USPAT
32	L32	1336	16 and 17	US-PGPUB; USPAT
33	L33	18	30 and 17	US-PGPUB; USPAT
34	L34	51	30 and 1	US-PGPUB; USPAT
35	L35	700	30 and 2	US-PGPUB; USPAT
36	L36	37	30 SAME 2	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
37	L37	10	30 SAME 6	US-PGPUB; USPAT
38	L38	19	30 SAME 10	US-PGPUB; USPAT
39	L39	254	30 and 6	US-PGPUB; USPAT
40	L40	51	30 and 01	US-PGPUB; USPAT
41	L41	889	30 and 10	US-PGPUB; USPAT
42	L42	13	30 and 12	US-PGPUB; USPAT
43	L43	61	judd-d\$.inv.	US-PGPUB; USPAT
44	L44	10	judd-david\$.inv.	US-PGPUB; USPAT
45	L45	0	brewster-jas\$.inv.	US-PGPUB; USPAT
46	L46	1	melia-m\$.inv.	US-PGPUB; USPAT
47	L47	19	lilly-dav\$.inv.	US-PGPUB; USPAT
48	L48	0	melia ADJ tech\$9	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
49	L49	239	melia	US-PGPUB; USPAT
50	L50	64	49 and (client or server or host or user)	US-PGPUB; USPAT
51	L51	2	49 and (client or server)	US-PGPUB; USPAT
52	L52	172	(html or xml or sgml) NEAR10 (portable or laptop or PDA)	EPO; JPO; DERWENT
53	L53	1433	application NEAR1 interface	USOCR; EPO; JPO; DERWENT
54	L54	2595	(different or various or many or multiple) NEAR5 platform	EPO; JPO; DERWENT
55	L55	17090	(build\$4 or creat\$4 or design\$6) NEAR10 (site or page)	EPO; JPO; DERWENT
56	L56	10074	(external or remote) NEAR3 (client or user or consumer)	EPO; JPO; DERWENT
57	L57	5237	(host or server) NEAR1 application	EPO; JPO; DERWENT
58	L58	897	(convert or conversion or translat) NEAR10 (compatible or consistent)	EPO; JPO; DERWENT
59	L59	0	52 and 53	EPO; JPO; DERWENT

	L #	Hits	Search Text	DBs
60	L60	3	57 and 58	EPO; JPO; DERWENT
61	L61	138	57 and 56	EPO; JPO; DERWENT
62	L62	37	57 and 55	EPO; JPO; DERWENT
63	L63	22	57 and 54	EPO; JPO; DERWENT
64	L64	81	57 and 53	EPO; JPO; DERWENT
65	L65	2	57 and 52	EPO; JPO; DERWENT
66	L66	29	57 NEAR5 56	EPO; JPO; DERWENT
67	L67	7	58 and 56	EPO; JPO; DERWENT
68	L68	2	58 and 55	EPO; JPO; DERWENT
69	L69	2	58 and 54	EPO; JPO; DERWENT
70	L70	0	58 and 59	EPO; JPO; DERWENT
71	L71	1	58 and 53	EPO; JPO; DERWENT

	L #	Hits	Search Text	DBs
72	L72	19	53 and 54	EPO; JPO; DERWENT
73	L73	8	53 and 55	EPO; JPO; DERWENT
74	L74	16	53 and 56	EPO; JPO; DERWENT
75	L75	4	judd-david\$.inv.	EPO; JPO; DERWENT; IBM_TDB
76	L76	1	brewster-jas\$.inv.	EPO; JPO; DERWENT
77	L77	14	melia-m\$.inv.	EPO; JPO; DERWENT
78	L78	2	lilly-dav\$.inv.	EPO; JPO; DERWENT; IBM_TDB
79	L79	2	melia ADJ tech\$9	EPO; JPO; DERWENT; IBM_TDB
80	L80	208	melia	EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
81	L81	0	49 and (client or server or host or user)	EPO; JPO; DERWENT; IBM_TDB
82	L82	1	(html or xml or sgml) NEAR10 (portable or laptop or PDA)	IBM_TDB
83	L83	180	application NEAR1 interface	IBM_TDB
84	L84	83	(different or various or many or multiple) NEAR5 platform	IBM_TDB
85	L85	269	(build\$4 or creat\$4 or design\$6) NEAR10 (site or page)	IBM_TDB
86	L86	252	(external or remote) NEAR3 (client or user or consumer)	IBM_TDB
87	L87	298	(host or server) NEAR1 application	IBM_TDB
88	L88	9	(convert or conversion or translat) NEAR10 (compatible or consistent)	IBM_TDB
89	L89	13	87 and 86	IBM_TDB
90	L90	1	87 and 85	IBM_TDB
91	L91	0	86 and 85	IBM_TDB